EXHIBIT 5

1	UNITED STATES DISTRICT COURT
	EASTERN DISTRICT OF LOUISIANA
2	
3	
4	
	IN RE: VIOXX PRODUCTS : MDL DOCKET NO. 1657
5	LIABILITY LITIGATION : SECTION L
	:
6	THIS DOCUMENT RELATES TO: :
	:
7	Jo Levitt v. Merck Sharp & : NO.
	Dohme Corp. : 2:06-cv-09757-EEK-DEK
8	
9	
10	VOLUME I
11	Tuesday, April 26, 2016
12	
13	Videotaped deposition of JAY N. SCHAPIRA,
14	M.D., held at the offices of JAY N. SCHAPIRA, M.D.,
15	Cedars-Sinai Medical Towers, 8635 West Third Street,
16	Suite 750W, Los Angeles, California, commencing at
17	approximately 9:12 a.m., before Rosemary Locklear, a
18	Registered Professional Reporter, Certified Realtime
19	Reporter and California CSR (#13969).
20	
21	
22	
23	
24	GOLKOW TECHNOLOGIES, INC.
	877.370.3377 ph 917.591.5672 Fax
25	deps@golkow.com

- Jay N. Schapira, M.D. 1 A. Okay. Is this Exhibit 5? 2 Uh-huh. Q. It's in here? 3 4 Q. Yes. 5 Cool. 6 Got it. Thanks. 7 You see it's -- this document is dated -- or I'm Q. sorry. Let me strike that. 8 You see that your supplemental report, which is 9 10 a part of your Exhibit 5, is dated January 18th, 2016? Yes, sir. 11 Α. It's very short; right? 12 Q. 13 Α. Yes. 14 You just say, after careful review of these Q. materials, I do not feel that any changes to my original 15 report are necessary. 16
 - 17 That's what you said in January of 2016; right?
 - 18 A. Correct.
 - 19 Q. With the exception of a wording change --
 - 20 A. Correct.
 - 21 Q. -- on Page 7 --
 - 22 A. Right.
- 23 Q. -- wherein I refer to an acute myocardial
- 24 infarction and feel that it is more properly stated as
- 25 acute coronary syndrome.